

AUDREY FAMILY






Jörg Voyé


Business Line Manager
Partner Tech Europe

joerg.Voyé@partner-tech.eu


PARTNER TECH ACADEMY




CARE . TRUST . RESPONSIBILITY



Start



Academy




Downloadcenter

THU
7

May 7 @ 11:00 - 11:30

Audrey Family

Learn all about the Audrey Family




TUE
12

May 12 @ 10:00 - 10:30

Fireside chat: POS Market and Post Corona

Fireside chat with Duncan Wu and Denis Christesen about global POS market and Post Corona Scenarios




WED
13

May 13 @ 10:00 - 10:30

Digital Signage – Interactive content

How to create rich and interactive content




WED
13

May 13 @ 11:00 - 11:30

Digital Signage – API

API - Integration of ERP and POS systems



<https://success.partner-tech.eu/academy/>

AUDREY FAMILY

- 1 Design
- 2 Specification
- 3 Peripherals & Options
- 4 Q & A

AGENDA

DESIGN



AUDREY FAMILY

Design

aluminum back cover
for fanless cooling

plastic frame

VESA 75 x 75

PARTNER

aluminum stand

aluminum base plate



AUDREY FAMILY

Thickness

only 16 mm thin

thinnest All-in-one Terminal
by Partner Tech



AUDREY FAMILY

Display Sizes



AUDREY FAMILY

Colors



Silver Black



Silver Rose

SPECIFICATIONS



AUDREY FAMILY

Key Features

Up to 7th Generation Intel® Core™ i5

Fanless up to 3.50 GHz Dual Core

Fast storage with M.2 PCIe Gen3 SSD

Fast Memory with DDR4 up to 32 GB


Optional Full HD Display for A5

Digital Signage Support



AUDREY FAMILY

CPU Selection



Platform	CPU	Pass Mark	# of Cores	# of Threads	GHz
APOLLO LAKE	Intel® Celeron™ J3455	2147	4	4	1.50 up to 2.30GHz
KABY LAKE	Intel® Core™ i3-7100U	3788	2	4	2.40GHz
	Intel® Core™ i5-7300U	5095	2	4	2.60GHz up to 3.50GHz

Apollo Lake and Kaby Lake only support 64Bit

AUDREY A4 & A5

External I/O

2 x serial ports RJ45

2 x LAN ports RJ45

4 x USB 3.0

1 x RJ11 for cash drawer

1 x Audio line-out

1 x HDMI

1 x VGA



I/O cover

AUDREY A7-1

Expansion I/O

Apollo Lake:

- A) 2 x COM
- B) 1 x COM + 1 x LPT
- C) 1 x 12V + 1 x 24V Powered USB

Kaby Lake:

- A) 2 x COM Port
- B) 1 x COM + 1 x LPT Port
- C) 1 x COM + 2 x USB 3.0
- D) 2 x USB 3.0 + 1x12V + 1x24V Powered USB



Optional Expansion
Interfaces

PERIPHERALS



AUDREY FAMILY

Optional Peripherals



PS-103 with RP-700 or
Epson TM-T70 II



10.1" CD-101C with
optional PCAP Touch



2 x 20 VFD



Multi-reader

AUDREY FAMILY

More I/O Ports



EX-100: 4 x Powered USB (3 x 12V, 1 x 24V)



EX-101: 7 x USB

Retail Hub EX-300

Interfaces	
USB Signal-In	2 x USB 3.0 Type B
12V Powered USB	Option 1: 4 x Option 2: 1 x
24V Powered USB	1 x
Serial COM	3 x DB9 (0/5/12V powered by jumper setting)
SD Card	1 x
Cashdrawer	1 x RJ11
LAN	1 x RJ45
12V DC-Out	Option 1: 1 x DC Jack Option 2: n.a.
5V DC-Out	1 x DC Jack
12V Power-In	1 x 4-PIN Hosiden (to connect 180W power adaptor)
12V Power-Out	1 x 4-PIN Hosiden (to connect POS Terminal)



AUDREY A7-1

Optional Peripherals



Alfred Kiosk



2D barcode module or Camera
Scan freely with 270-degree rotation
module

AUDREY FAMILY

LED Status Light Bar

Customizable lighting color

10 notification light modes



AUDREY FAMILY

Q & A



PARTNER

You want to talk or have any questions? Get in contact with us.



+49 40 450 635 0



info@partner-tech.eu



Beim Umspannwerk 10, 22844 Norderstedt



www.partner-tech.eu

